



## Spartan Chemical Company, Inc.

### Material Safety Data Sheet

#### SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): **SUPER SPRAYBUFF** Product Division: **Janitorial**

Product Number: 4450

Manufacturers Name: **Spartan Chemical Company, Inc.**

Emergency Phone No: **(800)537-8990**

Address: **1110 Spartan Drive**

City: **Maumee**

State: **OH**

Zip Code: **43537**

Product/Technical Information: **1-(800)-537-8990**

Medical Emergency: **1-(888)-314-6171 (24 hours)**

Chemical Leak/Spill Emergency: **CHEMTREC 1-(800) 424-9300 (24 hours)**

<b>Shipping Description:</b> Buffing, polishing compounds, liquid, n.o.s.	
<b>NFPA Ratings:</b>	<b>HMIS Ratings:</b>
<b>Health:</b> 1- Slight	<b>Health:</b> 1- Slight
<b>Fire:</b> 0 - Minimal	<b>Fire:</b> 0 - Minimal
<b>Reactivity:</b> 0 - Minimal	<b>Reactivity:</b> 0 - Minimal
	<b>Pers. Prot. Equip.:</b> A - Safety Glasses

#### SECTION II: HAZARDOUS INGREDIENTS

All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			Carcinogen
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CEILING mg/m <sup>3</sup>	
Odorless mineral spirits	15-20	64741-65-7	350 (NIOSH)	Not Established	1800 (NIOSH)	No
*Diethylene glycol monoethyl ether	01-05	111-90-0	Not Established	Not Established	Not Established	No

**Comment:** \*This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

#### SECTION III: PHYSICAL DATA

<b>Boiling Point:</b>	210-212 °F	<b>Vapor Pressure:</b>	18 mm Hg @ 75°F
<b>Vapor Density (AIR = 1):</b>	Unknown	<b>Solubility in Water:</b>	Complete
<b>pH:</b>	9.0-9.5	<b>Specific Gravity (H<sub>2</sub>O=1):</b>	0.92
<b>Evaporation Rate (but.ace.=1):</b>	<1	<b>Percent Solid by Weight:</b>	10-11
<b>Physical State:</b>	Liquid		
<b>Appearance &amp; Odor:</b>	White emulsion, floral fragrance		

▼ **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	None	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
Extinguishing Media:	N/A		
Special Fire Fighting Procedures:	N/A		
Unusual Fire & Explosive Hazards:	N/A		

▼ **SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact
Effects of Overexposure- Conditions to Avoid:	May cause eye and skin irritation. Avoid excessive breathing of vapors or mist. The odorless mineral spirits in the product may cause irritation to the nose and throat. Nervous system depression such as drowsiness or dizziness may occur.		
Conditions Aggravated by Use:	Unknown		

**Emergency & First Aid Procedures:**

Eyes:	In case of contact; flush eyes with water for at least 15 minutes. Remove contact lenses. Call a physician.
Skin:	In case of skin contact; flush well with water for at least 15 minutes. If irritation persists; call a physician.
Ingestion:	If swallowed; do NOT induce vomiting. Call a physician immediately.

▼ **SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	None known
Hazardous Decomposition Products:	None known	Hazardous Polymerization:	Will Not Occur

▼ **SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Recover free liquid. Add oil absorbent material to spill area. Advise authorities if product enters sewers or waterways.
Waste Disposal Method:	Assure conformity with applicable disposal regulations. Dispose of absorbed material at an approved waste disposal site or facility.

▼ **SECTION VIII: SPECIAL PROTECTION INFORMATION**

<b>Respiratory Protection:</b>	None required
<b>Ventilation:</b>	Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.
<b>Protective Gloves(Specify Type):</b>	None required
<b>Eye Protection(Specify Type):</b>	Safety goggles
<b>Other Protective Equipment:</b>	None required

▼ **SECTION IX: SPECIAL PRECAUTIONS**

<b>Precautions; Handling &amp; Storing:</b>	Keep from freezing. Do not store at temperatures above 130°F.
<b>Other Precautions:</b>	None

© SCC 11/05/99  
SUPER SPRAYBUFF

**Name:** Ronald T. Cook

**Title:** Manager, Regulatory Affairs

**Effective** 11/05/99

**Supercedes:** 09/24/99

**Date:**

Ref: 29 CFR 1910.1200  
(OSHA)

**Changes:** Section II update

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.